


Panbrake

BANNER - Touch Screen Operation


HOME page: *This is the main page to access all the bending screens.*



Touch Screen: Touch any icon to navigate the controller or operate apron.


PUMP ON: Press the PUMP ON icon to turn the pump on for any bending operations.

MANUAL MODE: *Press MANUAL MODE icon to access this screen.*







Operation: Clamp job with foot pedal. When CLAMP OK is green, means the clamp is in position to allow bending to start. Pressing UP / DOWN will operate apron. Apron angle will count as the apron moves up or down.


QUICK BEND: Press **QUICK BEND** icon to access this screen.




WARNING: The apron will automatically bend up once the  start button is pressed.

Operation: Touching icon  will change to  which indicates bend is ON. Touching  will bring up a screen for you to change the value. If desired you may change the DWELL TIME and OPEN HEIGHT. Once all values are correct press PROGRAM CONFIRM to load program (This will turn RED which means the program has been loaded). Clamp job with foot pedal and Press the start button  to start bending. The apron will automatically bend up to the programed angle, dwell for set value, return back down to 0 position, then the clamp will open automatically to the set open height. Repeat process for next bend.

PROGRAM LIST: Press **EDIT PROGRAM** icon to access this screen.



Operation: Press  to select a PROGRAM number. Press SET to change bend data or press HOME to load the program onto the home page.

PROGRAM MODIFICATION:

Press the **SET** icon in **PROGRAM LIST** to access this screen.

BEND	ANGLE	OFFSET		BEND	ANGLE	OFFSET	
01	090	0	Del	11	000	0	Del
02	035	3	Del	12	000	0	Del
03	050	0	Del	13	000	0	Del
04	000	0	Del	14	000	0	Del
05	000	0	Del	15	000	0	Del
06	000	0	Del	16	000	0	Del
07	000	0	Del	17	000	0	Del
08	000	0	Del	18	000	0	Del
09	000	0	Del	19	000	0	Del
10	000	0	Del	20	000	0	Del


PROGRAM MODIFICATION

NAME
HAFCO

PROGRAM
1

EXIT

WARNING: The apron will automatically bend up once the  start button is pressed.

Operation: Press NAME to enter a name. To make BEND 01 bend to 90° Press **090** ANGLE and enter 90. OFFSET is for bending thicker material, Entering 5 in OFFSET will make apron bend to 95°. Pressing delete **Del** will skip the bend. Press EXIT to return to HOME page. Once on HOME page press PROGRAM CONFIRM to load program then press the start button  to start bending. The apron will automatically bend up to the programed angle, dwell for set value, return back down to 0 position, then the clamp will open automatically to the set open height. Repeat process for next bend.

USB Device: Press the **Save to USB** icon to access this screen
This screen is for saving or loading programs to or from a USB device.

PROGRAM LIST

NO.	Program List
0	
1	HAFCO
2	
3	
4	
5	
6	
7	
8	

Select File

Write recipe data to PRD file

EA

<C>
<E>
[BANNER]
HAFCO.prd

test1.csv

OK
Cancel

HOME

ASCII Character Keypad

test1.csv

1	2	3	4	5	6	7	8	9	0	-	Esc
Q	W	E	R	T	Y	U	I	O	P	\	Clr
A	S	D	F	G	H	J	K	L	:	;	Del
Z	X	C	V	B	N	M	,	.	/	?	Ent
@	#	\$	%	&	*	()	_	+		

Operation: To **SAVE** a program: Press and hold **Save to USB** on the PROGRAM LIST screen for 3 seconds to activate the "Save to USB" function. Press on the test1.csv to rename your program, press "ent" to save your program then press OK. To **LOAD** a program: Press and hold **Read from USB** on the PROGRAM LIST screen for 3 seconds to activate the "Read from USB" function. Press on the eg: HAFCO.prd file and press OK.