

Asada Threading Oil					
nfosafe No. 1	STQS	Issue Date:	October 2012	Issued by G	arrick Herbert Pty Ltd
Not classified as ha	zardous acc	ording to criteria	of NOHSC		Asada Threading Oil
COMPANY DET	AILS				
Company Name Address Felephone ABN		6633 Fax	(PO BOX 3118) Ki 02 9545 4222 E		ickherbert.com.au
DENTIFICATIO	N				
Product Name Proper Shipping Name Other Names JN Number OG Class Packing Group Hazchem Code Poisons Schedule Product Use PHYSICAL DAT. Appearance Boiling Point Vapour Pressure Specific Gravity	None All None Lis None All None All None All None All Not Sche Neat cutt A A Amber L > 316°C < 0.1 mn 0.88 @	hted located located located located hocated hing oil htg @ 20°C 15°C/typical			
Flash Point	200°C/ty	pical			
'lamm. Limit LE Explosion Data	L Not App Not App				
THER PROPER					
Volatile Component Viscosity Other Information	n Product		copper based alloys Sheet for further inf		
NGREDIENTS					
ngredients		gredients determi sulfonate derivat	ned not hazardous ive	<u>CAS</u> N/Alloc. 7778-18-9	Proportion 60-100% 0-10%
HEALTH HAZAI	RD IN <u>FOR</u> I	MATION			
HEALTH EFFEC					
	<b>am</b> o a				
nfosafe No. 1	STQS	Issue Date:	Coctober 2012	Issued by Ga	arrick Herbert Pty Ltd

Not classified as hazardous according to criteria of NOHSC Asada Threading Oil					
Acute - Swallowed Acute - Eye	May be harmful if swallowed. Ingestion can result and diarrhoea. May cause slight eye irritation.				
Acute - Skin Acute - Inhaled	Contact with skin may result in irritation if exposure is prolonged. Not normally a hazard due to the non-volatile nature of the product.				
	Inhalation of oil mist may cause irritation to the upper respiratory system. Inhalation hazard is increased at higher temperatures.				
Chronic	Repeated or prolonged skin contact can result in irritati	ion and in severe cases dermatitis.			
FIRST AID					
Swallowed	DO NOT induce vomiting because of risk of aspiration Rinse mouth thoroughly with water immediately. Give medical assistance. Should vomiting occur, hold patien pulmonary aspiration.	e water to drink and seek immediate			
Eye	Immediately irrigate with copious quantities of water for Eyelids to be held open. In all cases of eye contaminat medical assistance. Transport to hospital or medical ce	ion it is a sensible precaution to seek			
Skin	Wash with plenty of soap and water. Seek medical adv				
Inhaled	Remove victim from exposure ó avoid becoming a caso comfortable position and keep warm. Keep at rest until symptoms arrange for patient to be seen by a doctor as nearest hospital.	fully recovered. For all but most minor			
First Aid Facilities	Normal washroom facilities.				

## ADVICE TO DOCTOR Advice Treat symptomatically **OTHER HEALTH HAZARD INFORMATION PRECAUTIONS FOR USE Exposure Limits** NOHSC Exposure Standard: Oil mists ó time weighted average (TWA) 5mg/m3 and a short term exposure limit (STEL) 10mg/m3 is recommended. No value assigned for this specific material by the National Occupational Health and Safety Commission (WSA). Maintain exposure to a minimum. Maintain concentration below recommended exposure limit. **Eng.** Controls If risk of overexposure exists, wear SAA approved respirator. Observe standard safety precautions and good work practices. Do not continue to Other Information use contaminated clothing. PERSONAL PROTECTION **Protective Equip.** Overalls, safety glasses and impervious gloves, eg. PVC. Avoid skin and eye contact, and inhalation of mists/aerosols. Wash contaminated clothing and protective equipment before storing/re-using. Avoid carrying contaminated rags in pockets or wearing of soaked clothing. If risk of inhalation of spray mist exists, wear combined organic vapour/ particulate respirator meeting the requirements of AS1715 and AS1716. If using a respirator ensure that the cartridges are correct for the potential air contamination and are in good working order. FLAMMABILITY **Fire Hazards** Will burn if involved in a fire.

Infosafe No.1STQSIssue Date:October 2012Issued by Garrick Herbert Pty Ltd

Not classified as hazardous according to criteria of NOHSC

Asada Threading Oil

## SAFE HANDLING INFORMATION

Storage and Transport	Store in cool place and out of direct sunlight. Not classified as a Dangerous Good according to the Australian Code for the transport of Dangerous Goods by Road and Rail. Ensure containers are clearly labeled. Protect containers against physical damage and check regularly for leaks. Store away from oxidising agents or combustible material.				
Proper Shipping Name	None Allocated				
SPILLS AND DISH	POSALS				
Spills & Disposals	Contain ó prevent contamination of drains and waterways. Use absorbent (soil or sand, sawdust, inert material, vermiculite). Collect and seal in properly labelled drums for dispose Dispose of waste as per Local, State and Federal Land Waste Management Authorities. (Victoria: MMBW (03) 9615 6099)				
FIRE/EXPLOSION	N HAZARD				
Fire/Explos. Hazard	Extinguish fire with the following: Use CO2, dry chemical or foam. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of decomposition. On burning will emit toxic fumes of carbon monoxide, acrid smoke and carbon dioxide.				
Hazardous					
Reaction Hazchem Code	Store away from strong oxidising or combustible materials. None Allocated				
<b>OTHER INFORM</b>	ATION				
Toxicology	This product is considered to be non hazardous and non toxic when used in accordance with good industrial hygiene and the manufacturers recommendations.				
Environ.	Non-biodegradable. Avoid contaminating waterways.				
Protection	<ul> <li>* For mineral oil: Acute LC/EC50 Fish - Juvenile Rainbow Trout</li> <li>- Practically non-toxic. Based on testing with similar products.</li> </ul>				
Pkg. & Labelling References	No special packaging or labeling requirements. Commonwealth of Australia, Australian Code for the Transport of Dangerous Goods by Road and Railø AGPS (1998) 6 <sup>th</sup> edition.				
CONTACT POINT					
Contact Poison Information	Garrick Herbert Pty Ltd (02) 9545 6633				

Poison Information Centre: 13 11 26 ó 24 hour line

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it to be accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Material Safety Data Sheets are updated frequently. Please ensure you have a current copy.  $N\!/\!A$  = Not allocated