



SYDNEY

Northmead

Ph: (02) 9890 9111

4 Abbotts Rd Dandenong Ph: (03) 9212 4422



BRISBANE 625 Boundary Rd Coopers Plains Ph: (07) 3715 2200

11 Valentine Street Kewdale Ph: (08) 9373 9999

www.machineryhouse.com.au

Swifty SWIFTY 600 COMPACT CNC PLASMA CUTTING TABLE

Swifty 600 compact CNC plasma cutting machine with big capabilities. It's versatile, portable and easy to use opening up a world of possibilities offering great value for smaller workshops.

It cuts all steels, cast iron, brass, copper & aluminium.

- 610 x 610 cutting area
- Up to 8mm/10mm pierce and cutting capacity
- 240 volt power
- Water tray for efficient control of sparks and fumes
- Multi position torch height control
- Magnetic breakaway head eliminates damage to torch
- Swifty CNC software is standard, import and convert DXF drawing files to Swifty machine code, includes a 2D parametric library of common shapes as standard

WATCH DEMO VIDEO ONLINE www.machineryhouse.com.au/P9001

MODEL		SWIFTY 600	SWIFTY 600				
ORDER CODE		P9000	P9001				
Cutting Table Capacity m	ım	610 x 610	610 x 610				
Plasma Cutting Unit Ty	ре	Unimig Razor Cut 45	Hypertherm 45XP				
Dynamic Cut Control (DCC)		No	No				
Max. Thickness m	m	8	10				
Duty Cycle (Typical)		25% @ 45A 60% @ 29A 100% @ 22.5A	50% @ 45A 60% @ 41A 100% @ 32A				
Cutting Gas Ty	ре	Compressed Air	Compressed Air				
Input Voltage Volts / Amps		240	240				
Power Source Warranty		2 Years	3 Years				

BEAUTIFULLY COMPACT - SUPREMELY VERSATILE - SURPRISINGLY AFFORDABLE



Optional Stand



Breakaway Head



Water Table



Material Clamps



CHOOSE YOUR PLAS

Unimig Razor Series

Standard Model

- Euro torch connection
- High quality plasma machine torch
- In-built air regulator with preset air pressure
- IGBT inverter technology
- Tolerant to variable power supply



SWIFTY 1250 COMPACT CNC PLASMA CUTTING TABLE

Swifty 1250 is a fully featured CNC plasma with big capabilities. It's versatile and easy to use opening up a world of possibilities and offering great value for smaller workshops. It cuts all steels, cast iron, brass, copper & aluminium.

- 240V or 415V power supply
- Up to 16mm pierce capacity
- 1250 x 1250mm cutting area
- Water tray for efficient control of sparks and fumes
- Heavy duty steel construction
- Digital Torch-Height Control (DTHC) for quality cutting
- Soft sense material height sensing, perfect for thin materials
- Breakaway head eliminates damage to torch
- Dynamic Cut Control (DCC) is an industry first, unique to Swiftcut- on all Hypertherm models, software control of cutting amps and air pressure, error messages from the plasma unit displayed on the Swiftcut control screen and varied cutting speed control from the console for improved cut quality
- Includes stand with storage shelf, integrated laptop table and data cable
- Machine comes fully assembled for accuracy, stand needs assembling

WATCH DEMO VIDEO ONLINE www.machineryhouse.com.au/P9004

MODEL	SWIFTY 1250	SWIFTY 1250	SWIFTY 1250	SWIFTY 1250	
ORDER CODE	P9004	P9005	P9006	P9007	
Cutting Table Capacity mi	n 1250 x 1250	1250 x 1250	1250 x 1250	1250 x 1250	
Plasma Cutting Unit Typ	e Unimig Razor Cut 45	Hypertherm 45XP	Unimig Razor Cut 80	Hypertherm 65	
Dynamic Cut Control (DCC)	No	Yes	No	Yes	
Max. Mild Steel Thickness mi	n 8	12	16	16	
Duty Cycle (Typical)	25% @ 45A 60% @ 29A 100% @ 22.5A	50% @ 45A 60% @ 41A 100% @ 32A	40% @ 80A 100% @ 50A	50% @ 65A 100% @ 46A	
Cutting Gas Typ	e Compressed Air	Compressed Air	Compressed Air	Compressed Air	
Input Voltage Volts / Amp	s 240 / 15	240 / 32	415 / 30	415 / 20	
Power Source Warranty	2 Years	3 Years	2 Years	3 Years	



Soft Sense Torch Height Control

Breakaway Torch



Stainless Steel Water Tray



Laptop Support





BEAUTIFULLY COMPACT - SUPREMELY VERSATILE - SURPRISINGLY AFFORDABLE

SYDNEY

0

1/2 Windsor Rd Northmead Ph: (02) 9890 9111 MELBOURNE 4 Abbotts Rd Dandenong Ph: (03) 9212 4422



BRISBANE 625 Boundary Rd Coopers Plains Ph: (07) 3715 2200 PERTH 11 Valentine Street Kewdale

Ph: (08) 9373 9999

www.machineryhouse.com.au